(b) No, Sir.

(c) Does not arise.

Kothagudem Thermal Power Station, Andhra Pradesh

*180. DR. NARREDDY THULASI REDDY: Will the Minister of ENERGY be pleased to state:

(a) whether Andhra Pradesh Govern ment has sent the project report of the 5th phase of Kothagudem Thermal Power Station;

(b) whether the Central Government have given their approval;

(c) if so, what are the details thereof; and

(d) if not, what are the reasons for delay in clearing the project?

THE MINISTER OF ENERGY WITH ADDITIONAL CHARGE OF THE MINISTRY OF CIVIL AVIATION (SHRI ARIF MOHD. KHAN); (a) to (d) The feasibility Report of the project for installation of two units of 210 MW in Stage-V of Kothagudem Thermal Power Station at an estimated cost of Rs. 658 crores was received in the Central Electricity Authority (CEA) in July, 1989 from Andhra Pradesh State Electricity Board. The proposal could be techno-eco-nomically appraised by the CEA after all the essential inputs. such as water and coal availability etc. are tied up and necessary clearances, including clearance from the environment angle, are obtained by the State authorities.

623. *[Transferred to the 22nd May,* 1990.]

Allotment of plots by the DSITC In Narela

@624. SHRI KAPIL VERMA;
SHRIMATI VEENA VERMA:
SHRIMATI KAILASHPATI:

Will the Minister of INDUSTRY be pleased to state:

(a) whether it is a fact that 2200 plots are ready since 1976 under the Narela Project of the Delhi State Industrial Development Corporation; if so, by when the said plots are likely to be allotted;

(b) what would be the policy regarding the allotment of those plots; and

(c) what is the amount of investment made by the Corporation on this project?

THE MINISTER OF INDUSTRY (SHRI AJIT SINGH); (a) According to Delhi Administration a total number of 2020 plots have been developed in Narela Industrial Complex till date. Of these, 1800 plots have been offered for allotment which are likely to be allotted by May/June, 1990.

(b) The plots wiil be allotted by draw of lots amongst eligible applicants.

(c) As on 31. 3. 1990 total expenditure on the project has been Rs. 1221. 44 lakhs including the expendiure on land acquisition.

Functioning of the Railway Safety Commissioner

@@625. SHRI RAJNI RANJAN SAHU; Will the Minister of CIVIL AVIATION be pleased to state:

(a) whether Government propose to bring openness into the fuuc: i raing of Railway Safety Commissioner by making them public so that people are able to know the full details of the enquiries con ducted by the Commissioner;

(b) if so, the details of the proposal; and

(c) if the reply to part (a) above be in the negative, what are the reasons therefor?

-

THE MINISTER OF ENERGY WITH ADDITIONAL CHARGE OF THE MINISTRY OF CIVIL AVIATION (SHRI ARIF MOHD. KHAN): (a) to (c) The reports submitted by the Commissioner of Railway Safety are invariably kept confidential till all actions on

@ Previously Unstarred Question 220, transferred from the 4th May, 1990.

@@ Previously Unstarred Question 245, transferred from the 4th May, 1990.